Solid State Ionics 72 (1994) AI1–AI7
North-Holland

SOLID
STATE
IONICS

Author Index

Abe, T., see Y. Takeda 72 (1994) 257
Abraham, F., see O. Mentre 72 (1994) 293
Agrawal, R.C., see R.K. Gupta 72 (1994) 314
Albinsson, I., B.-E. Mellander and J.R. Stevens, Ion conductivity, electrical relaxation and ion association in poly(propylene glycol) complexed with ammonium triflate 72 (1994) 177
Andersen, T.P., see N. Rao 72 (1994) 334
Andrei, M., L. Marchese, A. Roggero and P. Prosperi, Polymer electrolytes based on cross-linked silylated poly-vinyl-ether and lithium perchlorate 72 (1994) 140
Arbizzani, C., M. Borghini, M. Mastragostino, L. Meneghello and A. Zanelli, Impedance spectroscopy in electrode/electrolyte interface investigations 72 (1994) 115

Baker, R.T., I.S. Metcalfe, P.H. Middleton and B.C.H. Steele, Evaluation of perovskite anodes for the complete oxidation of dry methane in solid oxide fuel cells 72 (1994) 328
Bebelis, S., see C.G. Vayenas 72 (1994) 321
Bernasik, A., M. Rekas, M. Sloma and W. Weppner, Electrical surface versus bulk properties of Fe-doped TiO_2 single crystals 72 (1994) 12
Bieger, T., H. Yugami, N. Nicoloso, J. Maier and R. Waser, Optical absorption relaxation applied to $SrTiO_3$ and ZrO_2: An in-situ method to study trapping effects on chemical diffusion 72 (1994) 41
Bohac, P., see A. Orliukas 72 (1994) 35
Bonnet, G., M. Lachkar, J.P. Larpin and J.C. Colson, Organometallic chemical vapor deposition of rare earth oxide thin films. Application for steel protection against high temperature oxidation 72 (1994) 344
Borghini, M., see C. Arbizzani 72 (1994) 115
Bouwmeester, H.J.M., H. Kruidhof and A.J. Burggraaf, Importance of the surface exchange kinetics as rate limiting step in oxygen permeation through mixed-conducting oxides 72 (1994) 185
Breiter, M.W., see G. Fafilek 72 (1994) 305
Brodin, A., see G. Petersen 72 (1994) 165
Burggraaf, A.J., see H.J.M. Bouwmeester 72 (1994) 185

Careem, M.A., see S. Skaarup 72 (1994) 108
Careem, M.A., see M.D. Glasse 72 (1994) 127
Carlsson, A.E., see A. Hoser 72 (1994) 72
Caudron, R., see A. Hoser 72 (1994) 72
Chadwick, A.V., P. Hanmer, L. Coppola, G. Ranieri and M. Terenzi, Ionic environment and transport in polymer electrolytes 72 (1994) 147
Chiodelli, G., see P. Ferloni 72 (1994) 135
Colson, J.C., see G. Bonnet 72 (1994) 344
Coppola, L., see A.V. Chadwick 72 (1994) 147

Datta, A., see H. Sato 72 (1994) 19
Deffontaines, B., see O. Mentre 72 (1994) 293
DiCarlo, J.F., see A.-Q. Pham 72 (1994) 309
Dransfield, G.P., see I.R. Gibson 72 (1994) 265

Fafilek, G. and M.W. Breiter, Irreversible conductivity change of Ca β″-alumina at high temperature 72 (1994) 305
Fagg, D.P., S.M. Fray and J.T.S. Irvine, Reduced magnesium titanate electrodes for solid oxide fuel cells 72 (1994) 235
Ferloni, P., P. Mustarelli, A.K. Saraswat, G. Chiodelli and A. Magistris, Thermal and transport properties in the polymer electrolyte system $P(EO)_n$–$Pb(ClO_4)_2$ 72 (1994) 135
Fray, S.M., see D.P. Fagg 72 (1994) 235
Frech, R. and W. Huang, Polymer conformation and ionic association in complexes of lithium, sodium and potassium triflate with poly(ethylene oxide) oligomers 72 (1994) 103

Gauckler, L.J., see A. Orliukas 72 (1994) 35
Ge, P., see N. Rao 72 (1994) 334
Gharbage, B., T. Pagnier and A. Hammou, Oxygen reduction at $(La_{0.5}Sr_{0.5})_yMnO_3$ thin films/YSZ interface 72 (1994) 248
Gibson, I.R., E.E. Lachowski, J.T.S. Irvine and G.P. Dransfield, Sintering of a plasma derived zirconia powder for solid oxide fuel cell electrolytes 72 (1994) 265
Glasse, M.D., R.J. Latham, R.G. Linford, W.S. Schlindwein and M.A. Careem, Polymer electrolyte kinetics as a function of formation temperature 72 (1994) 127
Gunsser, W., see J. ten Eicken 72 (1994) 7
Gupta, R.K. and R.C. Agrawal, Investigation on transport properties of the silver ion conducting composite electrolyte 72 (1994) 314
Gür, T.M., see K. Nisancioglu 72 (1994) 199

Hammou, A., see B. Gharbage 72 (1994) 248
Hanmer, P., see A.V. Chadwick 72 (1994) 147
Hasegawa, T., see N. Inoue 72 (1994) 285
Heider, U., see L. Hoffart 72 (1994) 195
Hill, C.M., see D. Teeters 72 (1994) 122
Hoffart, L., U. Heider, L. Jörissen, R.A. Huggins and W. Witschel, Transport properties of materials with the scheelite structure 72 (1994) 195
Hoser, A., M. Martin, W. Schweika, A.E. Carlsson, R. Caudron and N. Pyka, Diffuse neutron scattering of iron-doped nickel oxide 72 (1994) 72
Hoshino, S., see T. Sakuma 72 (1994) 94
Hu, C.P., see D. Li 72 (1994) 172
Huang, P. and E.A. Secco, Fast Na^+ ionic conductivity in glass and crystalline solids of Na_2MoO_4–UO_2SO_4 system 72 (1994) 289
Huang, W., see R. Frech 72 (1994) 103
Huang, X.J. and J. Schoonman, NO_x sensing characteristics of $Bi_2Sr_2CaCu_2O_{8+x}$ and $Bi_2Sr_2CuO_{6+x}$ films 72 (1994) 338
Huggins, R.A., see L. Hoffart 72 (1994) 195
Huijsmans, J.P.P., see F.P.F. van Berkel 72 (1994) 240

Ichikawa, T., see Y. Takeda 72 (1994) 257
Ilett, D.J., see M.S. Islam 72 (1994) 54
Imanishi, N., see Y. Takeda 72 (1994) 257
Inoue, N., M. Tagami, Y. Nakamura, Y. Matsumoto, Y. Ogawa and T. Hasegawa, Electrical impedance and ultrasonic velocity of sodium ionic conductor $Na_{1+2x}Zr_{2-x}Mg_x(PO_4)_3$ 72 (1994) 285
Ippommatsu, M., see H. Sasaki 72 (1994) 253
Irvine, J.T.S., see D.P. Fagg 72 (1994) 235
Irvine, J.T.S., see I.R. Gibson 72 (1994) 265
Ishizawa, N., see K. Koto 72 (1994) 79
Islam, M.S. and D.J. Ilett, Defect structure and oxygen migration in the La_2O_3 catalyst 72 (1994) 54
Ito, S., S. Nariki, K. Kozawa, T. Uchida and N. Yoneda, Crystal structure and mixed alkali effect of (K^+, Cs^+)-β-ferrite 72 (1994) 300

Jacobsen, T., see K. Lade 72 (1994) 218
Jacobson, A.J., see A.-Q. Pham 72 (1994) 309
Jörissen, L., see L. Hoffart 72 (1994) 195
Joshi, A., see Y. Shen 72 (1994) 209

Kajimura, A., see H. Sasaki 72 (1994) 253
Kang, T.-K., see S.-J. Kim 72 (1994) 279
Karavasilis, Ch., see C.G. Vayenas 72 (1994) 321
Karus, M., see J. ten Eicken 72 (1994) 7
Kawai, M., see Y. Mizutani 72 (1994) 271
Kim, K.-H., see S.-J. Kim 72 (1994) 279
Kim, S.-J., K.-H. Kim, S.-J. Oh, T.-K. Kang and I.-H. Kuk, Microstructural designs and electrical properties of Y_2O_3-doped ZrO_2s 72 (1994) 279
Kishimoto, A., see J. Oi 72 (1994) 204
Koto, K., K. Suda, N. Ishizawa and H. Maeda, Oxide ion motion in bismuth sesquioxide (δ-Bi_2O_3) 72 (1994) 79
Kozawa, K., see S. Ito 72 (1994) 300
Kramer, S., M. Spears and H.L. Tuller, Conduction in titanate pyrochlores: role of dopants 72 (1994) 59
Krist, K., see Y. Shen 72 (1994) 209
Kruidhof, H., see H.J.M. Bouwmeester 72 (1994) 185
Kudo, T., see J. Oi 72 (1994) 204
Kuk, I.-H., see S.-J. Kim 72 (1994) 279

Lachkar, M., see G. Bonnet 72 (1994) 344
Lachowski, E.E., see I.R. Gibson 72 (1994) 265
Lade, K. and T. Jacobsen, Determination of kinetic and transport parameters for oxygen in mixed conductors by an ac method 72 (1994) 218
Larpin, J.P., see G. Bonnet 72 (1994) 344
Latham, R.J., see M.D. Glasse 72 (1994) 127
Lauvstad, G., see F.W. Poulsen 72 (1994) 47
Li, D., C.P. Hu and S.K. Ying, Structure and ionic conductivity of graft polymer network electrolytes containing some star-like side chains and $LiClO_4$ 72 (1994) 172
Linford, R.G., see M.D. Glasse 72 (1994) 127
Liu, M., see Y. Shen 72 (1994) 209

Lohrengel, M.M., see S. Rüße 72 (1994) 29

Maeda, H., see K. Koto 72 (1994) 79
Magistris, A., see P. Ferloni 72 (1994) 135
Maier, J., see T. Bieger 72 (1994) 41
Marchese, L., see M. Andrei 72 (1994) 140
Martin, M. and R. Schmackpfeffer, Demixing of doped oxides: influence of defect interactions 72 (1994) 67
Martin, M., see A. Hoser 72 (1994) 72
Mastragostino, M., see C. Arbizzani 72 (1994) 115
Matsumoto, Y., see N. Inoue 72 (1994) 285
Mellander, B.-E., see I. Albinsson 72 (1994) 177
Meneghello, L., see C. Arbizzani 72 (1994) 115
Mentre, O., F. Abraham, B. Deffontaines and P. Vast, Structural study and conductivity properties of $Ca_{1-x}Na_{2x}Ti_4(PO_4)_6$ solid solution 72 (1994) 293
Merino, R.I., see V.M. Orera 72 (1994) 224
Metcalfe, I.S., see R.T. Baker 72 (1994) 328
Meyer, A., see J. ten Eicken 72 (1994) 7
Middleton, P.H., see R.T. Baker 72 (1994) 328
Mizutani, Y., M. Tamura, M. Kawai and O. Yamamoto, Development of high-performance electrolyte in SOFC 72 (1994) 271
Mori, M., see Y. Takeda 72 (1994) 257
Mori, N., see Y. Takeda 72 (1994) 257
Murin, I.V., see J. ten Eicken 72 (1994) 7
Mustarelli, P., see P. Ferloni 72 (1994) 135

Nakamura, Y., see N. Inoue 72 (1994) 285
Nariki, S., see S. Ito 72 (1994) 300
Nicoloso, N., see T. Bieger 72 (1994) 41
Nisancioglu, K. and T.M. Gür, Potentiostatic step technique to study ionic transport in mixed conductors 72 (1994) 199

Ogawa, Y., see N. Inoue 72 (1994) 285
Oh, S.-J., see S.-J. Kim 72 (1994) 279
Oi, J., A. Kishimoto and T. Kudo, Hexagonal and pyrochlore-type cesium tungstates synthesized from cesium peroxo-polytungstate and their intercalation chemistry 72 (1994) 204
Orera, V.M., R.I. Merino and F. Peña, $Ce^{3+} \leftrightarrow Ce^{4+}$ conversion in ceria-doped zirconia single crystals induced by oxido-reduction treatments 72 (1994) 224
Orliukas, A., P. Bohac, K. Sasaki and L.J. Gauckler, The relaxation dispersion of the ionic conductivity in cubic zirconias 72 (1994) 35
Otoshi, S., see H. Sasaki 72 (1994) 253

Pagnier, T., see B. Gharbage 72 (1994) 248
Peña, F., see V.M. Orera 72 (1994) 224
Petersen, G., A. Brodin, L.M. Torell and M. Smith, Light scattering and luminescence studies of $M(CF_3SO_3)_x$–polyether complexes containing trivalent cations 72 (1994) 165
Pham, A.-Q., M. Puri, J.F. DiCarlo and A.J. Jacobson, Oxide ion conductivity of the new Aurivillius phase $(Bi_2O_2)(NaNb_2O_{6.5})$ 72 (1994) 309

Poulsen, F.W., G. Lauvstad and R. Tunold, Conductivity and Seebeck measurements on strontium ferrates 72 (1994) 47
Prosperi, P., see M. Andrei 72 (1994) 140
Prusinowska, D., W. Wieczorek, H. Wyciślik, M. Siekierski, J. Przyłuski and J. Soltysiak, Conductivity and structural studies of PEO–NH_4SCN electrolytes 72 (1994) 152
Przyłuski, J., see D. Prusinowska 72 (1994) 152
Puri, M., see A.-Q. Pham 72 (1994) 309
Pyka, N., see A. Hoser 72 (1994) 72

Ranieri, G., see A.V. Chadwick 72 (1994) 147
Rao, N., T.P. Andersen and P. Ge, Tin mordenite membranes for direct methanol fuel cells 72 (1994) 334
Rekas, M., see A. Bernasik 72 (1994) 12
Rekas, M., see M. Sloma 72 (1994) 89
Riess, I., R. Safadi and H.L. Tuller, Problems with Hebb–Wagner polarization measurements due to overpotentials and decomposition of the sample 72 (1994) 3
Roggero. A., see M. Andrei 72 (1994) 140
Roux, C. and J.-Y. Sanchez, Ionic conductivities of PPO–LiTFSI complexes 72 (1994) 160
Rüße, S., M.M. Lohrengel and J.W. Schultze, Ion migration and dielectric effects in aluminum oxide films 72 (1994) 29

Safadi, R., see I. Riess 72 (1994) 3
Sakaki, Y., see Y. Takeda 72 (1994) 257
Sakuma, T., F. Suzuki and S. Hoshino, Diffuse scattering of β-Ag_3SI by neutron powder diffraction 72 (1994) 94
Sanchez, J.-Y., see C. Roux 72 (1994) 160
Saraswat, A.K., see P. Ferloni 72 (1994) 135
Sasaki, H., S. Otoshi, M. Suzuki, T. Sogi, A. Kajimura, N. Sugiura and M. Ippommatsu, Fabrication of high power density tubular type solid oxide fuel cells 72 (1994) 253
Sasaki, K., see A. Orliukas 72 (1994) 35
Sato, H. and A. Datta, Frequency dependence of ionic conductivity in lattice gas models 72 (1994) 19
Schlindwein, W.S., see M.D. Glasse 72 (1994) 127
Schmackpfeffer, R., see M. Martin 72 (1994) 67
Schoonman, J., see X.J. Huang 72 (1994) 338
Schultze, J.W., see S. Rüße 72 (1994) 29
Schütt, H.J., A new phenomenological description of the electrical relaxation in ionic conductors 72 (1994) 86
Schweika, W., see A. Hoser 72 (1994) 72
Secco, E.A., see P. Huang 72 (1994) 289
Senadeera, G.K.R., see S. Skaarup 72 (1994) 108
Shen, Y., A. Joshi, M. Liu and K. Krist, Structure, microstructure and transport properties of mixed ionic–electronic conductors based on bismuth oxide Part I. Bi–Y–Cu–O system 72 (1994) 209
Siekierski, M., see D. Prusinowska 72 (1994) 152
Skaarup, S., K. West, B. Zachau-Christiansen, M.A. Careem and G.K.R. Senadeera, Electrolyte and ion memory effects in highly conjugated polypyrrole 72 (1994) 108
Sloma, M., see A. Bernasik 72 (1994) 12
Sloma, M., W. Weppner and M. Rekas, Thermoelectric power of tetragonal ZrO_2 72 (1994) 89
Smith, M., see G. Petersen 72 (1994) 165

Sogi, T., see H. Sasaki 72 (1994) 253
Soltysiak, J., see D. Prusinowska 72 (1994) 152
Spears, M., see S. Kramer 72 (1994) 59
Steele, B.C.H., see R.T. Baker 72 (1994) 328
Stevens, J.R., see I. Albinsson 72 (1994) 177
Suda, K., see K. Koto 72 (1994) 79
Sugiura, N., see H. Sasaki 72 (1994) 253
Suzuki, F., see T. Sakuma 72 (1994) 94
Suzuki, M., see H. Sasaki 72 (1994) 253

Tagami, M., see N. Inoue 72 (1994) 285
Takeda, Y., Y. Sakaki, T. Ichikawa, N. Imanishi, O. Yamamoto, M. Mori, N. Mori and T. Abe, Stability of $La_{1-x}A_xMnO_{3-z}$ (A=Ca, Sr) as cathode materials for solid oxide fuel cells 72 (1994) 257
Tamura, M., see Y. Mizutani 72 (1994) 271
Teeters, D. and C.M. Hill, Comparative study of the mixed-alkali effect in poly(ethylene oxide) and poly(propylene oxide)-thiocyanate salt systems 72 (1994) 122
ten Eicken, J., W. Gunsser, M. Karus, A. Meyer and I.V. Murin, On the structure and dynamics of heterovalently doped β-PbF_2 72 (1994) 7
Terenzi, M., see A.V. Chadwick 72 (1994) 147
Torell, L.M., see G. Petersen 72 (1994) 165
Tuller, H.L., see I. Riess 72 (1994) 3
Tuller, H.L., see S. Kramer 72 (1994) 59
Tunold, R., see F.W. Poulsen 72 (1994) 47

Uchida, T., see S. Ito 72 (1994) 300

Van Berkel, F.P.F., F.H. van Heuveln and J.P.P. Huijsmans, Characterization of solid oxide fuel cell electrodes by impedance spectroscopy and *I–V* characteristics 72 (1994) 240
Van Heuveln, F.H., see F.P.F. van Berkel 72 (1994) 240
Vast, P., see O. Mentre 72 (1994) 293
Vayenas, C.G., S. Bebelis, I.V. Yentekakis, Ch. Karavasilis and J. Yi, Non-Faradaic electrochemical modification of catalytic activity: solid electrolytes as active catalyst supports 72 (1994) 321

Waser, R., see T. Bieger 72 (1994) 41
Weppner, W., see A. Bernasik 72 (1994) 12
Weppner, W., see M. Sloma 72 (1994) 89
West, K., see S. Skaarup 72 (1994) 108
Wieczorek, W., see D. Prusinowska 72 (1994) 152
Witschel, W., see L. Hoffart 72 (1994) 195
Wyciślik, H., see D. Prusinowska 72 (1994) 152

Yamamoto, O., see Y. Takeda 72 (1994) 257
Yamamoto, O., see Y. Mizutani 72 (1994) 271
Yentekakis, I.V., see C.G. Vayenas 72 (1994) 321
Yi, J., see C.G. Vayenas 72 (1994) 321
Ying, S.K., see D. Li 72 (1994) 172

Yoneda, N., see S. Ito 72 (1994) 300
Yugami, H., see T. Bieger 72 (1994) 41

Zachau-Christiansen, B., see S. Skaarup 72 (1994) 108
Zanelli, A., see C. Arbizzani 72 (1994) 115

Solid State Ionics 72 (1994) SI1–SI2
North-Holland

SOLID
STATE
IONICS

Subject Index

Activation energy, 29, 35
Aliovalent substitution, 293
Ammonium salt complex, 152
Anode, 235, 328
Anodic aluminum oxide, 29
Aurivillius phase, 309

β″-alumina, 305
β-alumina, 300
β-ferrite, 300
Bismuth copper oxide, 209
Bismuthsesquioxide, 79
Boundary effect, 279

Catalysis, 328
  electrochemical activation, 321
Catalyst, 54
Cathode, 248
Cerium (3+), 224
Cesium, 300
Cesium tungstate, 204
Cesium tungsten bronze
  hexagonal, 204
  pyrochlore, 204
Chemical diffusion, 41, 199
Composite, 209
Composite electrolyte, 314
Computer simulation, 54
Conductivity, 47
Conformation, 103
Conjugation, 108
Crystallisation kinetics, 127
Current transients, 29

Decomposition, 3
Defects, 54
Defect structure, 59, 72
Demixing, 67
Depth profiles, 12
Dielectric relaxation, 29, 35
Diffuse neutron scattering, 72
Diffuse scattering, 94
Diffusion, 224
Diffusion coefficient, 218
Diffusion impedance, 218
Direct methanol fuel cells (DMFC), 334
Dispersed phase, 314
Dopant effects, 59

Electrical impedance, 285
Electrical properties, 279
Electrical relaxation, 86
Electrochemical vapor deposition, 253
Electrolyte polymer, 160
Electronic conductivity, 3
Entropy transport of oxygen ion motion, 89
EPR, 7
EXAFS, 79, 147

Four-probe technique, 305
Fuel cell, 248, 328

Glass, 289
Graft copolymer, 172
Grain boundary
  diffusion, 285

Hebb–Wagner polarization measurement, 3
High field growth, 29
High temperature electrode, 235
High temperature oxidation, 344
Hopping conduction, 285
Hybrid polymer electrolyte, 115

Impedance measurements, 305
Impedance spectroscopy, 29, 35, 115
Impurity–vacancy binding, 67
Intercalation, 204
Ion association, 177
Ion–chromium alloys, 344
Ion diffusion, 54
Ion exchange, 305
Ionic association, 103
Ionic conductivity, 35, 86, 135, 140, 152, 160, 285, 293
  frequency dependence, 19
  oxide, 309
  proton, 334
  silver, 314
  sodium, 289
Ionic interaction, 165
Ionic mobility, 108, 314
Ion spillover
  NEMCA, 321
Iron-doped titania, 12
Irreversible statistical mechanics
  path probability method, 19

Kohlrausch–Williams–Watts relaxation behavior, 19

Lanthanum chromite, 253
Laser ablation, 253
Lead perchlorate, 135
Linear response theory, 86
Lithium/polymer electrolyte interface stability, 115
Lithium perchlorate, 140, 172
Luminescence, 165

Macromer, 172
Manganite, 248
Mechanism, 328
Membrane technology, 334
Memory effect, 108
Methane, 328
Microstructural design, 279
Mixed alkali effect, 122, 300
Mixed conductor, 185, 199, 209, 218
Mixed ionic–electronic conductor, 3, 59, 195
Mobility of oxygen vacancies, 35

Na_2MoO_4–UO_2SO_4 system, 289
NASICON-type compound, 293
Neutron diffraction, 94
Non-Debye relaxation process, 19
Nonstoichiometry, 47, 218
n–p transition, 12

Onsager coefficients, 67
Optical relaxation, 41
Oxidation, 328
Oxygen permeability, 185
Oxygen potential gradient, 67
Oxygen reduction, 248
Oxygen transport, 199

Permittivity, 177
Perovskite, 199, 328
Perovskite electrode, 257
Peroxo-polytungstate, 204
Phase development, 265
Plasma-derived powders, 265
Poly (ethylene oxide) oligomer, 103
Poly (ethylene oxide) (PEO), 122, 127, 135, 172
Polymer electrolyte, 127, 135, 140, 147, 172, 177
Poly (oxypropylene) (POP), 160
Poly (propylene oxide) (PPO), 122, 160
Polypyrrole, 108
Porous electrode, 240
Potassium, 300
Potentiostatic step method, 199
PPO–AGE copolymer, 160
Protonically conductive system, 152
Protonic conductor, 334

Pyrochlores, 59

Radiotracer diffusion, 147
Raman scattering, 165
Raman spectroscopy, 103
Reactive elements coating, 344
Reduced titanate, 235
Relaxation, 122, 177

Salt complex, 103
Scheelite materials, 195
Seebeck effect, 89
Segregation, 12
Sensor, 338
Silver ion conductor, 314
Silylated-polyvinylether (PVE), 140
SIMS measurements, 12
Sintering, 265
Solid electrolyte, 59, 271
  catalyst support, 321
Solid oxide fuel cell (SOFC), 235, 240, 253, 257, 265, 271
Solid polymeric electrolyte, 152
Solid solutions, 7
Spherulites, 127
Spillover
  solid electrolyte, 321
Spinel, 235
Strontium ferrate, 47
Structural change, 293
Superconductor, 338
Surface oxygen exchange, 185

Thermal vibration, 94
Thermoelectric power, 47, 89
Three-phase boundaries, 240
Tin mordenite, 334
Trapping effects, 41
Trivalent salt–polyether complexes, 165

Ultrasonic velocity, 285
Universal dynamic response, 19

Work function measurements, 12

X-ray powder structure, 293

Yttria-stabilized zirconia, 253, 265

Zirconia, 89, 224
  NEMCA effect, 321
  stabilized, 35